



## LDF-01BS-KIT

Profilé aluminium pour bandes de LED flexibles jusqu'à 16,8 mm de large



- Finition extérieure: oxydation 6063 Aluminium gris
- Capot : transparent, opaque, blanc
- Longueur standard: 520mm, 1020mm, 2000mm, 3000mm

### Accessoires inclus

- 2 embouts
- 2 clips de fixation
- 2 vis 3 x 10




### Dimensions :




## Installation :


Installation Method 1




Installation Method 2



Installation Method 3



Installation Method 4



# LDF-01S

Sectional Dimension	Clear lens	Semi-transparent lens	Opal lens
<p data-bbox="178 640 341 672">Accessories</p> <div data-bbox="213 721 549 855"><p data-bbox="229 757 338 815">End cap * 2</p></div> <div data-bbox="213 918 549 1052"><p data-bbox="255 954 309 1012">Clip * 2</p></div> <div data-bbox="213 1120 549 1254"><p data-bbox="239 1142 325 1227">Screw 3x10 * 2</p></div>	<p data-bbox="612 640 1114 672">Service Environment and Installation</p> <p data-bbox="612 712 753 743">1, With clip</p>  <p data-bbox="612 949 960 981">2, With double-sided tape</p> 		
<p data-bbox="185 1344 469 1375">Pictures taken in kind</p> 			